


USDA-ARS South Fork, Iowa





Hydrology and Remote Sensing Laboratory, Beltsville, MD And

National Laboratory for Agriculture and the Environment, Ames, IA



6 Soil Moisture Stations

- Hydras at 5 and 50 cm.
- 2 stations have flux instruments

~700 km² of Corn and Soy Row Crops


835 mm of precipitation annually


Flat Topography with tile drainage


Research Projects:

- Soil Tillage & Crop Residue
- Soil Moisture
- Atmospheric Flux Studies
- SWAT Modeling
- Conservation Effects Assessment Program

Lead Scientists: Mike Cosh, HRSL & John Prueger, NLAE









Agriculture and Agri-Food Canada (AAFC) has taken on the secretariat role of the JECAM project on behalf the <u>GEO Agricultural Monitoring Community of Practice</u>. One of the responsibilities as secretariat is to develop and maintain this JECAM website where government, university and non-NGO

2010 Flux and Micrometeorology



 Micrometeorological and Surface Flux measurements were collected in adjacent Corn and Soybean fields from

5 May through6 September 2010.

 The full gamut of measurements included:



• Air Temperature

Pressure

Location of the EC Flux Stations.

• Wind Speed/Direction

Turbulent Energy (H & λE) and CO₂ Fluxes

• Four Component Radiation Budget (R_n , $K \downarrow$, etc.)


Soil Moisture, Temperature (5 cm) and Heat Flux

• Surface Temperature

 The raw data was post-processed using a 30-minute averaging period and a suite of standard corrections.

• Daily means were also calculated.


2010 Flux and Micrometeorology



The components of the Surface Energy Budget for June 10, 2010 using the 30-minute data.

2010 Daily total ET and Carbon uptake at the SF Corn and Soybean sites.

- Using these measurements both the physical processes and our ability to remotely sense and model them can be evaluated on:
 - diurnal
 - season timescales



Tillage/Residue

